

- barrier of double-wall carbon nanotube”, *Chemical Physics Letters*, **348**(3-4), 187-193.
DOI: 10.1016/S0009-2614(01)01127-7
- Stallard, J.C., Tan, W., Smail, F.R., Gspann, T.S., Boies, A.M. and Fleck, N.A. (2018), “The mechanical and electrical properties of direct-spun carbon nanotube mats”, *Extreme Mechanics Letters*, **21**, 65-75.
DOI: 10.1016/J.EML.2018.03.003
- Thamaraikannan, S. and Pradhan, S.C. (2016), “Atomistic Study of Carbon Nanotubes: Effect of Cut-Off Distance”, *TMS 2016 145th Annual Meeting & Exhibition*, pp. 293-300.
DOI: 10.1007/978-3-319-48254-5_36
- Tounsi, A., Benguediab, S., Adda, B., Semmah, A. and Zidour, M. (2013), “Nonlocal effects on thermal buckling properties of double-walled carbon nanotubes”, *Adv. Nano Res., Int. J.*, **1**(1), 1-11.
DOI: 10.12989/anr.2013.1.1.001
- Treacy, M.J., Ebbesen, T.W. and Gibson, J.M. (1996), “Exceptionally high Young's modulus observed for individual carbon nanotubes”, *Nature*, **381**(6584), 678-680. DOI: 10.1038/381678a0
- Wang, Q. and Varadan, V.K. (2006), “Vibration of carbon nanotubes studied using nonlocal continuum mechanics”, *Smart Mater. Struct.*, **15**(2), 659-666. DOI:10.1088/0964-1726/15/2/050
- Xu, K.Y., Guo, X.N. and Ru, C.Q. (2006), “Vibration of a double-walled carbon nanotube aroused by nonlinear intertube van der Waals forces”, *J. Appl. Phys.*, **99**(6), 64303.
DOI: 10.1063/1.2179970
- Yoon, J., Ru, C.Q. and Mioduchowski, A. (2002), “Noncoaxial resonance of an isolated multiwall carbon nanotube”, *Phys. Rev. B*, **66**(23), 233402. DOI: 10.1103/PhysRevB.66.233402
- Zhao, Y., Ma, C.C., Chen, G. and Jiang, Q. (2003), “Energy dissipation mechanisms in carbon nanotube oscillators”, *Phys. Rev. Lett.*, **91**(17), 175504.
DOI: 10.1103/PhysRevLett.91.175504