

- Mehralian, F., Beni, Y.T and Zeverdejani, M.K. (2017), "Nonlocal strain gradient theory calibration using molecular dynamics simulation based on small scale vibration of nanotubes", *Physica B: Condensed Matter*, **514**, 61-69. <https://doi.org/10.1016/j.physb.2017.03.030>
- Merazi, M., Hadji, L., Daouadji, T.H., Tounsi, A. and Adda Bedia, E.A. (2015), "A new hyperbolic shear deformation plate theory for static analysis of FGM plate based on neutral surface position", *Geomech. Eng., Int. J.*, **8**(3), 305-321. <https://doi.org/10.12989/gae.2015.8.3.305>
- Meyers, M.A., Mishra, A. and Benson, D.J. (2006), "Mechanical properties of nanocrystalline materials", *Progress Mater. Sci.*, **51**(4), 427-556. <https://doi.org/10.1016/j.pmatsci.2005.08.003>
- Mokhtar, Y., Heireche, H., Bousahla, A.A., Houari, M.S.A., Tounsi, A. and Mahmoud, S.R. (2018), "A novel shear deformation theory for buckling analysis of single layer graphene sheet based on nonlocal elasticity theory", *Smart Struct. Syst., Int. J.*, **21**(4), 397-405. <https://doi.org/10.12989/sss.2018.21.4.397>
- Saidi, H., Tounsi, A. and Bousahla, A.A. (2016), "A simple hyperbolic shear deformation theory for vibration analysis of thick functionally graded rectangular plates resting on elastic foundations", *Geomech. Eng., Int. J.*, **11**(2), 289-307. <https://doi.org/10.12989/gae.2016.11.2.289>
- Shen, J.P., Wang, P.Y., Li, C. and Wang, Y.Y. (2019), "New observations on transverse dynamics of microtubules based on nonlocal strain gradient theory", *Compos. Struct.*, **225**, 111036. <https://doi.org/10.1016/j.compstruct.2019.111036>
- Sun, J., Lim, C.W., Zhou, Z., Xu, X. and Sun, W. (2016), "Rigorous buckling analysis of size-dependent functionally graded cylindrical nanoshells", *J. Appl. Phys.*, **119**(21), 214303. <https://doi.org/10.1063/1.4952984>
- Thai, H.T. (2012), "A nonlocal beam theory for bending, buckling, and vibration of nanobeams", *Int. J. Eng. Sci.*, **52**, 56-64. <https://doi.org/10.1016/j.ijengsci.2011.11.011>
- Wang, G.F., Feng, X.Q., Yu, S.W. and Nan, C.W. (2003), "Interface effects on effective elastic moduli of nanocrystalline materials", *Mater. Sci. Eng.: A*, **363**(1), 1-8. [https://doi.org/10.1016/S0921-5093\(03\)00253-3](https://doi.org/10.1016/S0921-5093(03)00253-3)
- Zaera, R., Fernández-Sáez, J. and Loya, J.A. (2013), "Axisymmetric free vibration of closed thin spherical nano-shell", *Compos. Struct.*, **104**, 154-161. <https://doi.org/10.1016/j.compstruct.2013.04.022>
- Zeighampour, H. and Beni, Y.T. (2014), "Cylindrical thin-shell model based on modified strain gradient theory", *Int. J. Eng. Sci.*, **78**, 27-47. <https://doi.org/10.1016/j.ijengsci.2014.01.004>
- Zenkour, A.M. and Abouelregal, A.E. (2014), "Vibration of FG nanobeams induced by sinusoidal pulse-heating via a nonlocal thermoelastic model", *Acta Mechanica*, **225**(12), 3409-3421. <https://doi.org/10.1007/s00707-014-1146-9>
- Zhou, J.Q., Wang, L. and Ye, Z.X. (2013), "Micromechanics model for nanovoid growth in nanocrystalline materials", *Appl. Mech. Mater.*, **364**, 754-759. <https://doi.org/10.4028/www.scientific.net/AMM.364.754>