

- solid phase extraction combined high performance liquid chromatography for determination of fluoroquinolones in milk”, *Anal. Methods*, **8**(27), 5511-5518. <https://doi.org/10.1039/C6AY00810K>
- Hamou, M., Hammou, A., Mustapha, A. and Hamid, M. (2018), “Critical of linear and nonlinear equations of pseudo-first order and pseudo-second order kinetic models”, *KIJOMS*, **4**(2), 244-254. <https://doi.org/10.1016/j.kijoms.2018.04.001>
- Ho, Y.S. and McKay, G. (1999), “Pseudo-second order model for sorption processes”, *Process Biochem*, **34**(5), 451-465. [https://doi.org/10.1016/S0032-9592\(98\)00112-5](https://doi.org/10.1016/S0032-9592(98)00112-5)
- Jean-Pierre, S. (2016), “On the comparison of pseudo-first order and pseudo-second order rate laws in the modeling of adsorption kinetics”, *Chem. Eng. J.*, **300**, 254-263. <http://dx.doi.org/10.1016/j.cej.2016.04.079>
- Jin, Y.F., Zhang, Y.J., Zhang, Y.P., Chen, J., Zhou, X.M. and Bai, L.Y. (2013), “Synthesis and evaluation of molecularly imprinted polymer for the determination of the phthalate esters in the bottled beverages by HPLC”, *J. Chem.*, **2013**, 1-9. <https://doi.org/10.1155/2013/903210>
- Karsten, H. (2001), “Molecularly imprinted polymers in analytical chemistry”, *Analyst*, **126**, 747-756. <https://doi.org/10.1039/B102799A>
- Kenji, M., Yukihiko, A., Hong, Y., Kenji, O., Tetsuro, I., Toshiyuki, T., Emi, K., Monekazu, I. and Yoshinori, N. (2004), “Preferential target is mitochondria in α -mangostin-induced apoptosis in human leukemia HL60 cells”, *Bioorg. Med. Chem.*, **12**(22), 5799-5806. <https://doi.org/10.1016/j.bmc.2004.08.034>
- María, del M.C.L., M.C. Cela, P., María, S.D.G., José, M.L.V., María, V.G.R. and Luis, F.B.L. (2012), “Preparation, evaluation and characterization of quercetin-molecularly imprinted polymer for preconcentration and clean-up of catechins”, *Anal. Chim. Acta*, **721**, 68-78. <https://doi.org/10.1016/j.aca.2012.01.049>
- Martín-Esteban, A. (2001), “Molecularly imprinted polymers: new molecular recognition materials for selective solid-phase extraction of organic compounds”, *Fresenius J. Anal. Chem.*, **370**, 795-802. <https://doi.org/10.1007/s002160100854>
- Martín-Esteban, A., Turiel, E. and Stevenson, D. (2001), “Effect of template size on the selectivity of molecularly imprinted polymers for phenylurea herbicides”, *Chromatographia*, **53**, S434-S437. <https://doi.org/10.1007/BF02490371>
- Mohamed, Y.I., Najihah, M.H., Abdalbasit, A.M., Syam, M., Mahmood, A.A., Siddig, I.A. and Ismail, A.A. (2016), “ α -Mangostin from *Garcinia mangostana* Linn: an updated review of its pharmacological properties”, *Arab. J. Chem.*, **9**(3), 317-329. <http://dx.doi.org/10.1016/j.arabjc.2014.02.011>
- Muchtaridi, M., Nadia, A.P., Tiana, M. and Ida, M. (2017), “Validation analysis methods of α -mangostin, γ -mangostin and gartanin mixture in mangosteen (*Garcinia mangostana* L.) fruit rind extract from west java with HPLC”, *J. Appl. Pharm. Sci.*, **7**(10), 125-130. <https://doi.org/10.7324/JAPS.2017.71018>
- Nimibofa, A., Augustus, N.E. and Donbebe, W. (2017), “Modelling and interpretation of adsorption isotherms”, *J. Chem.*, **2017**, 1-11. <https://doi.org/10.1155/2017/3039817>
- Nor, A.Y., Siti, K.Ab.R., Mohd, Z.H. and Nor, A.I. (2013), “Preparation and characterization of molecularly imprinted polymer as SPE sorbent for melamine isolation”, *Polymers*, **5**(4), 1215-1228. <https://doi.org/10.3390/polym5041215>
- Pothitirat, W. and Gritsanapan, W. (2009), “HPLC quantitative analysis method for the determination of α -mangostin in mangosteen fruit rind extract”, *Thai J. Agric. Sci.*, **42**(1), 7-12. <http://www.thaiscience.info/Journals/Article/TJAS/10469542.pdf>
- Qiao, F., Sun, H., Yan, H. and Row, K.H. (2006), “Molecularly imprinted polymers for solid phase extraction”, *Chromatographia*, **64**, 625-634. <https://doi.org/10.1365/s10337-006-0097-2>
- Robert, J.U., Sarah, C.B., Yizhao, C., Ripal, N.S. and Ken, D.S. (2001), “Characterization of molecularly imprinted polymers with the langmuir-freundlich isotherm”, *Anal. Chem.*, **73**(19), 4584-4591. <https://doi.org/10.1021/ac0105686>
- Tamayo, F.G., Turiel, E. and Martín-Esteban, A. (2007), “Molecularly imprinted polymers for solid-phase extraction and solid phase microextraction: recent developments and future trends”, *J. Chromatogr. A*, **1152**(1-2), 32-40. <https://doi.org/10.1016/j.chroma.2006.08.095>