

- permanent magnets”, *Chin. Phys. B*, **27**, 117503. <https://doi.org/10.1088/1674-1056/27/11/117503>
- Zhao, S., Wu, Y.Y., Zhang, C., Wang, J.M., Fu, Z.H., Zhang, R.F. and Jiang, C.B. (2018), “Stabilization of τ -phase in carbon-doped MnAl magnetic alloys”, *J. Alloys Compd.*, **755**, 257-264. <https://doi.org/10.1016/j.jallcom.2018.04.318>
- Zhao, S., Wu, Y.Y., Wang, J.M., Jia, Y.X., Zhang, T.L., Zhang, T.L. and Jiang, C.B. (2019a), “Realization of large coercivity in MnAl permanent-magnet alloys by introducing nanoprecipitates”, *J. Magn. Magn. Mater.*, **483**, 164-168. <https://doi.org/10.1016/j.jmmm.2019.03.103>
- Zhao, S., Wu, Y.Y., Jiao, Z.Y., Jia, Y.X., Xu, Y.C., Wang, J.M., Zhang, T.L. and Jiang, C.B. (2019b), “Evolution of intrinsic magnetic properties in L1(0) Mn-Al alloys doped with substitutional atoms and correlated mechanism: Experimental and theoretical studies”, *Phys. Rev. Appl.*, **11**, 064008. <https://doi.org/10.1103/PhysRevApplied.11.064008>

CC