

- Vanli, O.A., Zhang, C., Nguyen, A. and Wang, B. (2012), "A minimax sensor placement approach for damage detection in composite structures", *J. Intel. Mater. Syst. Struct.*, **23**(8), 919-932.
<https://doi.org/10.1177/1045389X12440751>
- Venkat, R.S., Boller, C., Ravi, N., Chakraborty, N., Kamalakar, G.S., Ukirde, K. and Mahapatra, D.R. (2015), "Optimized actuator/ sensor combinations for structural health monitoring: simulation and experimental validation", In: *International Workshop on Structural Health Monitoring*, Stanford, CA, USA, September.
- Yang, C. (2018), "Sensor placement for structural health monitoring using hybrid optimization algorithm based on sensor distribution index and FE grids", *Struct. Control Health Monitor.*, **25**(6), 1-19.
<https://doi.org/10.1002/stc.2160>
- Yi, T.H., Li, H.N. and Zhang, X.D. (2012a), "A modified monkey algorithm for optimal sensor placement in structural health monitoring", *Smart Mater. Struct.*, **21**(10), 1-9.
<https://doi.org/10.1088/0964-1726/21/10/105033>
- Yi, T.H., Li, H.N. and Zhang, X.D. (2012b), "Sensor placement on Canton Tower for health monitoring using asynchronous-climb monkey algorithm", *Smart Mater. Struct.*, **21**(12), 1-9.
<https://doi.org/10.1088/0964-1726/21/12/125023>
- Yi, T.H., Li, H.N. and Wang, C.W. (2016), "Multiaxial sensor placement optimization in structural health monitoring using distributed wolf algorithm", *Struct. Control Health Monitor.*, **23**(4), 719-734.
<https://doi.org/10.1002/stc.1806>
- Zhou, G.D., Yi, T.H. and Li, H.N. (2014), "Sensor placement optimization in structural health monitoring using cluster-in-cluster firefly algorithm", *Adv. Struct. Eng.*, **17**(8), 1103-1115.
<https://doi.org/10.1260/1369-4332.17.8.1103>