

- Tvergaard, V. (1983), "Plastic buckling of axially compressed circular cylindrical shells", *Thin-Wall. Struct.*, **1**(2), 139-163. [https://doi.org/10.1016/0263-8231\(83\)90018-6](https://doi.org/10.1016/0263-8231(83)90018-6)
- Timmins, I.J. and O'Young, S. (2009), "Marine communications channel modeling using the finite-difference time domain method", *IEEE Transact. Vehicular Technol.*, **58**(6), 2626-2637. <https://doi.org/10.1109/TVT.2008.2010326>
- Wang, Y., Shao, S., Wang, S., Wu, Z., Zhang, H. and Hu, X. (2014), "Measurement error analysis of multibeam echosounder system mounted on the deep-sea autonomous underwater vehicle", *Ocean Eng.*, **91**, 111-121. <https://doi.org/10.1016/j.oceaneng.2014.09.002>
- Werner, B. (2019), "Navy, Shipbuilders Working On Final Details Of Block V Virginia-Class Submarine Deal", USNI News. Available on: <https://news.usni.org/2019/08/29/navy-shipbuilders-working-on-final-details-of-block-v-virginia-class-submarine-deal>
- Zou, R.D. and Foster, C.G. (1995), "Simple solution for buckling of orthotropic circular cylindrical shells", *Thin-Wall. Struct.*, **22**(3), 143-158. [https://doi.org/10.1016/0263-8231\(94\)00026-V](https://doi.org/10.1016/0263-8231(94)00026-V)
- Zou, D., Li, W., Liu, T. and Teng, J. (2018), "Two-dimensional water seepage monitoring in concrete structures using smart aggregates", *Struct. Monitor. Maint., Int. J.*, **5**(2), 313-323. <https://doi.org/10.12989/smm.2018.5.2.313>