





















- Muñoz-Abella, B., Ruiz-Fuentes, A., Rubio, P., Montero, L. and Rubio, L. (2020), “Cracked rotor diagnosis by means of frequency spectrum and artificial neural networks”, *Smart Struct. Syst., Int. J.*, **25**(4), 459-469.  
<https://doi.org/10.12989/sss.2020.25.4.459>
- Muñoz-Abella, B., Rubio, L. and Rubio, P. (2022a), “Closed-form solution for the natural frequencies of low-speed cracked Euler–Bernoulli rotating beams”, *Mathematics*, **10**(24), 4742.  
<https://doi.org/10.3390/math10244742>
- Muñoz-Abella, B., Rubio, L. and Rubio, P. (2022b), “Aplicación de redes neuronales artificiales en la identificación de fisuras en vigas rotatorias Euler-Bernoulli a bajas velocidades”, XV Congreso Iberoamericano de Ingeniería Mecánica, Madrid, Spain, November. [In Spanish]
- Muñoz-Abella, B., Rubio, L. and Rubio, P. (2023), “Coefficients Cracked rotating beam”, Zenodo repository.  
<https://doi.org/10.5281/zenodo.8329047>
- Nayyar, A., Baneen, U., Naqvi, S.A.Z. and Ahsan, M. (2021), “Detection and localization of multiple small damages in beam”, *Adv. Mech. Eng.*, **13**(1).  
<https://doi.org/10.1177/1687814020987329>
- Özdemir, Ö. and Kaya, M.O. (2006), “Flapwise bending vibration analysis of a rotating tapered cantilever Bernoulli–Euler beam by differential transform method”, *J. Sound Vib.*, **1-2**, 413-420.  
<https://doi.org/10.1016/j.jsv.2005.01.055>
- Ramezani, M. and Bahar, O. (2021), “Structural damage identification for elements and connections using an improved genetic algorithm”, *Smart Struct. Syst., Int. J.*, **28**(5), 643-660.  
<https://doi.org/10.12989/sss.2021.28.5.643>
- Rubio, L. (2009), “An efficient method for crack identification in simply supported Euler–Bernoulli beams”, *J. Vib. Acoust.*, **131**(5), 051001 (6 pages). <https://doi.org/10.1115/1.3142876>
- Rubio, L., Fernández-Sáez, J. and Morassi, A. (2018), “A Identification of an open crack in a beam with variable profile by two resonant frequencies”, *J. Vib. Control.*, **24**(5), 839-859.  
<https://doi.org/10.1177/1077546316671483>
- Sekhar, A.S. (2004), “Crack identification in a rotor system: a model-based approach”, *J. Sound Vib.*, **270**(4-5), 887-902.  
[https://doi.org/10.1016/S0022-460X\(03\)00637-0](https://doi.org/10.1016/S0022-460X(03)00637-0)
- Suh, M.W., Yu, J.M. and Lee, J.H. (2000), “Crack identification using classical optimization technique”, *Key Eng. Mater.*, **183-187**, 61-66.  
<https://doi.org/10.4028/www.scientific.net/KEM.183-187.61>
- Talebi, S. and Ariaci, A. (2015), “Vibration analysis of a rotating Timoshenko beam with internal and external flexible connections”, *Arch. Appl. Mech.*, **85**, 555-572.  
<https://doi.org/10.1007/s00419-014-0930-2>
- Valverde-Marcos, B., Muñoz-Abella, B., Rubio, P. and Rubio, L. (2022), “Influence of the rotation speed on the dynamic behaviour of a cracked rotating beam”, *Theor. Appl. Fract. Mech.*, **117**, 103209.  
<https://doi.org/10.1016/j.tafmec.2021.103209>
- Wauer, J. (1991), “Dynamics of cracked rotating blades”, *Appl. Mech. Rev.*, **44**(11S), S273-S278.  
<https://doi.org/10.1115/1.3121364>
- Yang, L.H., Yang, Z.S., Mao, Z., Wu, S.M., Chen, X.F. and Yan, R.Q., (2021a), “Dynamic characteristic analysis of rotating blade with transverse crack—Part I: modeling, modification, and validation”, *J. Vib. Acoust.*, **143**(5), 051010 (15 pages).  
<https://doi.org/10.1115/1.4049385>
- Yang, L.H., Yang, Z.S., Mao, Z., Wu, S.M., Chen, X.F. and Yan, R.Q., (2021b), “Dynamic characteristic analysis of rotating blade with transverse crack—Part II: A comparison study of different crack models”, *J. Vib. Acoust.*, **143**(5), 051011 (13 pages). <https://doi.org/10.1115/1.4049386>
- Yashar, A., Ferguson, N. and Ghandchi-Tehrani, M. (2018), “Simplified modelling and analysis of a rotating Euler-Bernoulli beam with a single cracked edge”, *J. Sound Vib.*, **420**, 346-356.  
<https://doi.org/10.1016/j.jsv.2017.12.041>
- Yazdanpanah, O., Seyedpoor, S.M. and Akbarzadeh-Bengar, H. (2015), “A new damage detection indicator for beams based on mode shape data”, *Struct. Eng. Mech., Int. J.*, **53**(4), 725-744.  
<https://doi.org/10.12989/sem.2015.53.4.725>