

- W.X. (2017), "Preliminary study on recovering lithium from high Mg²⁺/Li⁺ ratio brines by electrodialysis", *Sep. Purif. Technol.*, **172**, 168-177.
<https://doi.org/10.1016/j.seppur.2016.08.006>.
- Kim, J., Yoon, S., Choi, M., Min, K.J., Park, K.Y., Chon, K. and Bae, S. (2022), "Metal ion recovery from electrodialysis-concentrated plating wastewater via pilot-scale sequential electrowinning/chemical precipitation", *J. Clean. Prod.*, **330**, 129879. <https://doi.org/10.1016/j.jclepro.2021.129879>.
- Kingsbury, R.S., Liu, F., Zhu, S., Boggs, C., Armstrong, M.D., Call, D.F. and Coronell, O. (2017), "Impact of natural organic matter and inorganic solutes on energy recovery from five real salinity gradients using reverse electrodialysis", *J. Membr. Sci.*, **541**, 621-632. <https://doi.org/10.1016/j.memsci.2017.07.038>.
- La Cerva, M., Ciofalo, M., Gurreri, L., Tamburini, A., Cipollina, A. and Micale, G. (2017), "On some issues in the computational modelling of spacer-filled channels for membrane distillation", *Desalination*, **411**, 101-111.
<https://doi.org/10.1016/j.desal.2017.02.016>.
- La Cerva, M., Gurreri, L., Tedesco, M., Cipollina, A., Ciofalo, M., Tamburini, A. and Micale, G. (2018), "Determination of limiting current density and current efficiency in electrodialysis units", *Desalination*, **445**, 138-148.
<https://doi.org/10.1016/j.desal.2018.07.028>.
- Lee, G. (2011), "Effects of operating parameters on the removal performance of electrodialysis for treating wastewater containing cadmium", *Desalin. Water Treat.*, **35**(1-3), 150-157.
<http://dx.doi.org/10.5004/dwt.2011.2850>.
- Min, K.J., Choi, S.Y., Jang, D., Lee, J. and Park, K.Y. (2019), "Separation of metals from electroplating wastewater using electrodialysis", *Energ. Source Part A*, **41**(20), 2471-2480.
<https://doi.org/10.1080/15567036.2019.1568629>.
- Min, K.J., Kim, J.H. and Park, K.Y. (2021a), "Characteristics of heavy metal separation and determination of limiting current density in a pilot-scale electrodialysis process for plating wastewater treatment", *Sci. Total Environ.*, **757**, 143762.
<https://doi.org/10.1016/j.scitotenv.2020.143762>.
- Min, K.J., Kim, J.H., Kim, S.W., Lee, S., Shin, H.G., and Park, K.Y. (2021b), "Copper and nickel removal from plating wastewater in the electrodialysis process using a channeled stack", *Membr. Water Treat.*, **12**(4), 149-155.
<https://doi.org/10.12989/mwt.2021.12.4.149>.
- Min, K.J., Kim, J.H., Oh, E.J., Ryu, J.H. and Park, K.Y. (2021c), "Flow velocity and cell pair number effect on current efficiency in plating wastewater treatment through electrodialysis", *Environ. Eng. Res.*, **26**(2), 190502.
<https://doi.org/10.4491/eer.2019.502>.
- Ortiz-Martínez, V.M., Gómez-Coma, L., Tristán, C., Pérez, G., Fallanza, M., Ortiz, A. and Ortiz, I. (2020), "A comprehensive study on the effects of operation variables on reverse electrodialysis performance", *Desalination*, **482**, 114389.
<https://doi.org/10.1016/j.desal.2020.114389>.
- Park, H.S., Kim, T.Y. and Kim, D. (2019). "Efficiency analysis of zinc refining companies", *Sustain.*, **11**(22), 6528.
<https://doi.org/10.3390/su11226528>.
- Purkayastha, D., Mishra, U. and Biswas, S. (2014), "A comprehensive review on Cd (II) removal from aqueous solution", *J. Water Proc. Eng.*, **2**, 105-128.
<https://doi.org/10.1016/j.jwpe.2014.05.009>.
- Saeed, A., Vuthaluru, R. and Vuthaluru, H.B. (2015), "Investigations into the effects of mass transport and flow dynamics of spacer filled membrane modules using CFD", *Chem. Eng. Res. Des.*, **93**, 79-99.
<https://doi.org/10.1016/j.cherd.2014.07.002>.
- Shakaib, M., Hasani, S.M.F., Ahmed, I. and Yunus, R.M. (2012), "A CFD study on the effect of spacer orientation on temperature polarization in membrane distillation modules", *Desalination*, **284**, 332-340. [https://doi.org/10.1016/S0376-7388\(01\)00494-X](https://doi.org/10.1016/S0376-7388(01)00494-X).
- Sohn, H. (2019), "Current Status of Zinc Smelting and Recycling", *J. Korean Inst. Resour. Recycl.*, **28**(5), 30-41.
<https://doi.org/10.1016/j.kirr.2019.28.5.30>.
- Tedesco, M., Cipollina, A., Tamburini, A., van Baak, W. and Micale, G. (2012), "Modelling the Reverse ElectroDialysis process with seawater and concentrated brines", *Desalin. Water Treat.*, **49**(1), 404-424.
<https://doi.org/10.1080/19443994.2012.699355>.
- Tedesco, M., Scalici, C., Vaccari, D., Cipollina, A., Tamburini, A. and Micale, G. (2016), "Performance of the first reverse electrodialysis pilot plant for power production from saline waters and concentrated brines", *J. Membr. Sci.*, **500**, 33-45.
<https://doi.org/10.1016/j.memsci.2015.10.057>.
- Tufa, R.A., Curcio, E., van Baak, W., Veerman, J., Grasman, S., Fontananova, E. and Di Profio, G. (2014), "Potential of brackish water and brine for energy generation by salinity gradient power-reverse electrodialysis (SGP-RE)", *RSC Adv.*, **4**(80), 42617-42623. <https://doi.org/10.1039/C4RA05968A>.
- Walker, W.S., Kim, Y. and Lawler, D.F. (2014), "Treatment of model inland brackish groundwater reverse osmosis concentrate with electrodialysis-Part I: Sensitivity to superficial velocity", *Desalination*, **344**, 152-162.
<https://doi.org/10.1016/j.desal.2014.03.035>.
- Yuan, Z. and Shi, L. (2009), "Improving enterprise competitive advantage with industrial symbiosis: case study of a smeltery in China", *J. Clean. Prod.*, **17**(14), 1295-1302.
<https://doi.org/10.1016/j.jclepro.2009.03.016>.
- Yun, J.J. (2015), "How do we conquer the growth limits of capitalism? Schumpeterian dynamics of open innovation", *J. Open Innov.*, **1**(2), 17.
<https://doi.org/10.1186/s40852-015-0019-3>.

SP